




Indoor LED Module Display
CX Clarity Series



LED Displays. Simplified.

LED Displays. Simplified.

Why CX Lab?

Speed. Simplicity. Certainty.



Ready Stock Advantage

No Waiting. No Delays.

No production lead time.

No overseas shipment dependency.

Immediate deployment means faster project completion, every time.



End-to-End Capability

One Main Contractor. Total Control.

From Consultation to Completion.

No fragmentation. No coordination headaches.

Single point of accountability- fully managed, fully aligned.




Hassle-Free Solution

Everything You Need, Included.

LED modules. Structural frames. Cabling. Controllers.

Professional installation and calibration.

Delivered as a complete, ready-to-run system.




Best Value Pricing

Clear. Competitive. Transparent.

No hidden costs. No technical jargon.

Just straightforward pricing with maximum value built in.




Warranty Assurance

Confidence That Last

2 Years Product Warranty

One-to-one Replacement Policy




Technical Support

Support That Stays With You

Dedicated technical assistance

On-site troubleshooting

Ongoing after-sales support



Built For Business


Designed For Real Spaces

Retail stores.

Shopping malls.

Corporate offices.

Event spaces.



Precision. Performance. Simplified.

Product Features

The most accessible, cost efficient and versatile LED Module Display.

■	■	■
C	X	■
L	A	B

Seamless Display
Gapless joints for a clean, uninterrupted visual.

High Brightness
Up to 600 nits for clear, vivid indoor visibility.

Complete System
Frames and cabling included. Fully integrated.

High Refresh Rate
3840Hz for ultra-smooth, flicker-free visuals.

Low Heat Emission
Efficient performance with better stability and lifespan.


Quick Installation
Fast setup. Ready to run.

Durable LED Build
Strong, reliable LEDs for long-term use.

Product Specifications

CX Clarity Series

Indoor LED Module Display



Model	CX Clarity Lite	CX Clarity Plus	CX Clarity Pro	CX Clarity Pro + Pixel Shield
	Cost-efficient Scale Displays. <i>Best value for larger installations. Max coverage. Best ROI.</i>	Commercial Standard. High Definition & Reliable. <i>Strong performance with cost efficiency.</i>	Best In Class Visual Experience. <i>For premium, close viewing environment.</i>	Best In Class Visual Experience with Enhanced Durability. <i>For premium, close viewing environment with added protection.</i>
Pixel Pitch	P2.5	P1.86	P1.53	P1.53
Viewing Distance	2.5m & above	1.8m & above	1.5m & above	1.5m & above
Module Size	320mm x 160mm	320mm x 160mm	320mm x 160mm	320mm x 160mm
Lamp Size	1515	1515	1212	1212
Refresh Rate (Hz)	3840 Hz	3840 Hz	3840 Hz	3840 Hz
Brightness (nits)	550 - 600 nits	550 - 600 nits	550 - 600 nits	550 - 600 nits
Resolution	Good Clarity For Scale 128 x 64	High Definition 172 x 86	Ultra High Definition 208 x 104	Ultra High Definition 208 x 104
Pixel Shield Surface Protection (GOB)	No	No	No	Yes
Best for	Large Format Display Live Performance Stage Commercial Spaces Public Areas	Corporate Environment Digital Signage Mid-range Installation	Retail Displays Showroom Event Spaces	Corporate Boardroom Control Room Luxury Retail Spaces

For further enquiries;

CX LAB SDN BHD
Call +6016 559 0329 / +6016 526 2823
www.cxlab.com.my